

Vertical Inline Fire Pump
60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 50 GPM | 75 | 173 | 3500 | 2"-1591CF | Yes |
| | 80 | 185 | 3500 | 2"-1591CF | Yes |
| | 85 | 196 | 3500 | 2"-1591CF | Yes |
| | 90 | 208 | 3500 | 2"-1591CF | Yes |
| | 95 | 219 | 3500 | 2"-1591CF | Yes |
| | 100 | 231 | 3500 | 2"-1591CF | Yes |
| | 105 | 243 | 3500 | 2"-1591CF | Yes |
| | 110 | 254 | 3500 | 2"-1591CF | Yes |
| | 115 | 266 | 3500 | 2"-1591CF | No |
| | 120 | 277 | 3500 | 2"-1591CF | No |
| | 125 | 289 | 3500 | 2"-1591CF | No |
| | 130 | 300 | 3500 | 2"-1591CF | No |
| | 135 | 312 | 3500 | 2"-1591CF | No |
| | 140 | 323 | 3500 | 2"-1591CF | No |
| | 145 | 335 | 3500 | 2"-1591CF | No |
| 150 | 347 | 3500 | 2"-1591CF | No | |
| 155 | 358 | 3500 | 2"-1591CF | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.

Vertical Inline Fire Pump
60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 100 GPM | 43 | 99 | 3500 | 3"-1591AF | Yes |
| | 50 | 116 | 3500 | 3"-1591AF | Yes |
| | 55 | 127 | 3500 | 3"-1591AF | Yes |
| | 60 | 139 | 3500 | 3"-1591AF | Yes |
| | 65 | 150 | 3500 | 3"-1591AF | Yes |
| | 70 | 162 | 3500 | 2"-1591CF | Yes |
| | 75 | 173 | 3500 | 2"-1591CF | Yes |
| | 80 | 185 | 3500 | 2"-1591CF | Yes |
| | 85 | 196 | 3500 | 2"-1591CF | Yes |
| | 90 | 208 | 3500 | 2"-1591CF | Yes |
| | 95 | 219 | 3500 | 2"-1591CF | Yes |
| | 100 | 231 | 3500 | 2"-1591CF | Yes |
| | 105 | 243 | 3500 | 2"-1591CF | No |
| | 110 | 254 | 3500 | 2"-1591CF | No |
| | 115 | 266 | 3500 | 2"-1591CF | No |
| | 120 | 277 | 3500 | 2"-1591CF | No |
| | 125 | 289 | 3500 | 2"-1591CF | No |
| | 130 | 300 | 3500 | 2"-1591CF | No |
| 135 | 312 | 3500 | 2"-1591CF | No | |
| 140 | 323 | 3500 | 2"-1591CF | No | |
| 145 | 335 | 3500 | 2"-1591CF | No | |
| 150 | 347 | 3500 | 2"-1591CF | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.

Vertical Inline Fire Pump
60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 150 GPM | 41 | 95 | 3500 | 3"-1591AF | Yes |
| | 43 | 99 | 3500 | 3"-1591CF | Yes |
| | 45 | 104 | 3500 | 3"-1591AF | Yes |
| | | | 3500 | 3"-1591CF | Yes |
| | 50 | 116 | 3500 | 3"-1591AF | Yes |
| | | | 3500 | 3"-1591CF | Yes |
| | 55 | 127 | 3500 | 3"-1591AF | Yes |
| | | | 3500 | 3"-1591CF | Yes |
| | 60 | 139 | 3500 | 3"-1591AF | Yes |
| | | | 3500 | 3"-1592AF | Yes |
| | | | 3500 | 3"-1591CF | Yes |
| | 65 | 150 | 3500 | 3"-1592AF | Yes |
| | | | 3500 | 3"-1591CF | Yes |
| | 70 | 162 | 3500 | 3"-1592AF | Yes |
| | | | 3500 | 3"-1591CF | No |
| | 75 | 173 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1591CF | No |
| | 80 | 185 | 3500 | 3"-1592AF | No |
| | 83 | 192 | 3500 | 3"-1593BF | No |
| | 85 | 196 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1593BF | No |
| | 90 | 208 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1593BF | No |
| | 95 | 219 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1593BF | No |
| | 100 | 231 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1593BF | No |
| | 105 | 243 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1593BF | No |
| | 110 | 254 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1593BF | No |
| | 115 | 266 | 3500 | 3"-1592AF | No |
| 3500 | | | 3"-1593BF | No | |
| 120 | 277 | 3500 | 3"-1592AF | No | |
| | | 3500 | 3"-1593BF | No | |
| 125 | 289 | 3500 | 3"-1592AF | No | |
| | | 3500 | 3"-1593BF | No | |
| 130 | 300 | 3500 | 3"-1592AF | No | |
| | | 3500 | 3"-1593BF | No | |
| 135 | 312 | 3500 | 3"-1592AF | No | |
| | | 3500 | 3"-1593BF | No | |
| 140 | 323 | 3500 | 3"-1592AF | No | |
| | | 3500 | 3"-1593BF | No | |
| 141 | 326 | 3500 | 3"-1593BF | No | |
| 145 | 335 | 3500 | 3"-1592AF | No | |
| 150 | 347 | 3500 | 3"-1592AF | No | |
| 155 | 358 | 3500 | 3"-1592AF | No | |
| 160 | 370 | 3500 | 3"-1592AF | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.

Vertical Inline Fire Pump
60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 200 GPM | 40 | 92 | 3500 | 3"-1591AF | Yes |
| | | | 3500 | 3"-1591CF | Yes |
| | 45 | 104 | 3500 | 3"-1591AF | Yes |
| | | | 3500 | 3"-1591CF | Yes |
| | 50 | 116 | 3500 | 3"-1591AF | Yes |
| | | | 3500 | 3"-1591CF | Yes |
| | 55 | 127 | 3500 | 3"-1591AF | Yes |
| | | | 3500 | 3"-1591CF | Yes |
| | 56 | 129 | 3500 | 3"-1592AF | Yes |
| | | | 3500 | 3"-1592AF | Yes |
| | 60 | 139 | 3500 | 3"-1592AF | Yes |
| | | | 3500 | 3"-1591CF | Yes |
| | 65 | 150 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1591CF | No |
| | 70 | 162 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1591CF | No |
| | 74 | 171 | 3500 | 3"-1591CF | No |
| | | | 3500 | 3"-1592AF | No |
| | 75 | 173 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1592AF | No |
| | 80 | 185 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1593BF | No |
| | 85 | 196 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1593BF | No |
| | 90 | 208 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1593BF | No |
| | 95 | 219 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1593BF | No |
| | 100 | 231 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1593BF | No |
| | 105 | 243 | 3500 | 3"-1592AF | No |
| | | | 3500 | 3"-1593BF | No |
| 110 | 254 | 3500 | 3"-1592AF | No | |
| | | 3500 | 3"-1593BF | No | |
| 115 | 266 | 3500 | 3"-1592AF | No | |
| | | 3500 | 3"-1593BF | No | |
| 120 | 277 | 3500 | 3"-1592AF | No | |
| | | 3500 | 3"-1593BF | No | |
| 125 | 289 | 3500 | 3"-1592AF | No | |
| | | 3500 | 3"-1593BF | No | |
| 130 | 300 | 3500 | 3"-1592AF | No | |
| | | 3500 | 3"-1593BF | No | |
| 135 | 312 | 3500 | 3"-1592AF | No | |
| | | 3500 | 3"-1593BF | No | |
| 139 | 321 | 3500 | 3"-1593BF | No | |
| 140 | 323 | 3500 | 3"-1592AF | No | |
| 145 | 335 | 3500 | 3"-1592AF | No | |
| 150 | 347 | 3500 | 3"-1592AF | No | |
| 155 | 358 | 3500 | 3"-1592AF | No | |
| 159 | 367 | 3500 | 3"-1592AF | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.

Vertical Inline Fire Pump
60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 250 GPM | 40 | 92 | 3500 | 3"-1591BF | Yes |
| | 45 | 104 | 3500 | 3"-1591BF | Yes |
| | 46 | 106 | 3500 | 3"-1591CF | Yes |
| | 50 | 116 | 3500 | 3"-1591BF | Yes |
| | | | 3500 | 3"-1591CF | Yes |
| | 55 | 127 | 3500 | 3"-1591BF | No |
| | | | 3500 | 3"-1591CF | No |
| | 60 | 139 | 3500 | 3"-1591BF | No |
| | | | 3500 | 3"-1591CF | No |
| | 65 | 150 | 3500 | 3"-1591BF | No |
| | | | 3500 | 3"-1591CF | No |
| | 70 | 162 | 3500 | 3"-1593F | No |
| | | | 3500 | 3"-1591CF | No |
| | 72 | 166 | 3500 | 3"-1591CF | No |
| | 74 | 171 | 3500 | 3"-1593BF | No |
| | 75 | 173 | 3500 | 3"-1593F | No |
| | | | 3500 | 3"-1593BF | No |
| | 80 | 185 | 3500 | 3"-1593F | No |
| | | | 3500 | 3"-1593BF | No |
| | 85 | 196 | 3500 | 3"-1593F | No |
| | | | 3500 | 3"-1593BF | No |
| | 90 | 208 | 3500 | 3"-1593F | No |
| | | | 3500 | 3"-1593BF | No |
| | 95 | 219 | 3500 | 3"-1593F | No |
| | | | 3500 | 3"-1593BF | No |
| | 100 | 231 | 3500 | 3"-1593F | No |
| | | | 3500 | 3"-1593BF | No |
| | 105 | 243 | 3500 | 3"-1593F | No |
| 3500 | | | 3"-1593BF | No | |
| 110 | 254 | 3500 | 3"-1593F | No | |
| | | 3500 | 3"-1593BF | No | |
| 115 | 266 | 3500 | 3"-1593F | No | |
| | | 3500 | 3"-1593BF | No | |
| 120 | 277 | 3500 | 3"-1593F | No | |
| | | 3500 | 3"-1593BF | No | |
| 125 | 289 | 3500 | 3"-1593F | No | |
| | | 3500 | 3"-1593BF | No | |
| 130 | 300 | 3500 | 3"-1593F | No | |
| | | 3500 | 3"-1593BF | No | |
| 135 | 312 | 3500 | 3"-1593F | No | |
| | | 3500 | 3"-1593BF | No | |
| 137 | 316 | 3500 | 3"-1593BF | No | |
| 138 | 319 | 3500 | 3"-1593F | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.

Vertical Inline Fire Pump
60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 300 GPM | 41 | 95 | 3500 | 3"-1591CF | No |
| | 42 | 97 | 3500 | 4"-1591BF | No |
| | 45 | 104 | 3500 | 4"-1591BF | No |
| | | | 3500 | 3"-1591CF | No |
| | 50 | 116 | 3500 | 4"-1591BF | No |
| | | | 3500 | 3"-1591CF | No |
| | 55 | 127 | 3500 | 4"-1591BF | No |
| | | | 3500 | 3"-1591CF | No |
| | 60 | 139 | 3500 | 4"-1591BF | No |
| | | | 3500 | 3"-1591CF | No |
| | 65 | 150 | 3500 | 4"-1591BF | No |
| | | | 3500 | 3"-1591CF | No |
| | 70 | 162 | 3500 | 4"-1591BF | No |
| | | | 3500 | 3"-1591CF | No |
| | | | 3500 | 3"-1593BF | No |
| | 72 | 166 | 3500 | 3"-1593BF | No |
| | 73 | 169 | 3500 | 4"-1591BF | No |
| | 74 | 171 | 3500 | 4"-1593BF | No |
| | 75 | 173 | 3500 | 3"-1593BF | No |
| | 80 | 185 | 3500 | 4"-1593BF | No |
| | | | 3500 | 3"-1593BF | No |
| | 85 | 196 | 3500 | 4"-1593BF | No |
| | | | 3500 | 3"-1593BF | No |
| | 90 | 208 | 3500 | 4"-1593BF | No |
| | | | 3500 | 3"-1593BF | No |
| | 95 | 219 | 3500 | 4"-1592F | No |
| | | | 3500 | 3"-1593BF | No |
| | 100 | 231 | 3500 | 4"-1592F | No |
| 3500 | | | 3"-1593BF | No | |
| 105 | 243 | 3500 | 4"-1592F | No | |
| | | 3500 | 3"-1593BF | No | |
| 110 | 254 | 3500 | 4"-1592F | No | |
| | | 3500 | 3"-1593BF | No | |
| 115 | 266 | 3500 | 4"-1592F | No | |
| | | 3500 | 3"-1593BF | No | |
| 120 | 277 | 3500 | 4"-1592F | No | |
| | | 3500 | 3"-1593BF | No | |
| 125 | 289 | 3500 | 4"-1592F | No | |
| | | 3500 | 3"-1593BF | No | |
| 130 | 300 | 3500 | 4"-1592F | No | |
| | | 3500 | 3"-1593BF | No | |
| 134 | 310 | 3500 | 3"-1593BF | No | |
| 135 | 312 | 3500 | 4"-1592F | No | |
| 139 | 321 | 3500 | 4"-1592F | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.

Vertical Inline Fire Pump
60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 400 GPM | 40 | 92 | 3500 | 4"-1591CF | No |
| | 45 | 104 | 3500 | 4"-1591CF | No |
| | 50 | 116 | 3500 | 4"-1591BF | No |
| | | | 3500 | 4"-1591CF | No |
| | 55 | 127 | 3500 | 4"-1591BF | No |
| | | | 3500 | 4"-1591CF | No |
| | 56 | 129 | 3500 | 4"-1591CF | No |
| | 60 | 139 | 3500 | 4"-1591BF | No |
| | 65 | 150 | 3500 | 4"-1591BF | No |
| | 70 | 162 | 3500 | 4"-1593BF | No |
| | 75 | 173 | 3500 | 4"-1593BF | No |
| | 80 | 185 | 3500 | 4"-1593BF | No |
| | 85 | 196 | 3500 | 4"-1592F | No |
| | 90 | 208 | 3500 | 4"-1592F | No |
| | 95 | 219 | 3500 | 4"-1592F | No |
| | 100 | 231 | 3500 | 4"-1592F | No |
| | 105 | 243 | 3500 | 4"-1592F | No |
| | 110 | 254 | 3500 | 4"-1592F | No |
| | 115 | 266 | 3500 | 4"-1592F | No |
| | 120 | 277 | 3500 | 4"-1592F | No |
| 125 | 289 | 3500 | 4"-1592F | No | |
| 130 | 300 | 3500 | 4"-1592F | No | |
| 135 | 312 | 3500 | 4"-1592F | No | |
| 136 | 314 | 3500 | 4"-1592F | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.

Vertical Inline Fire Pump
60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 450 GPM | 40 | 92 | 3500 | 4"-1591CF | No |
| | 45 | 104 | 3500 | 4"-1591CF | No |
| | 49 | 113 | 3500 | 4"-1591BF | No |
| | 50 | 116 | 3500 | 4"-1591CF | No |
| | 55 | 127 | 3500 | 4"-1591BF | No |
| | | | 3500 | 4"-1591CF | No |
| | 60 | 139 | 3500 | 4"-1591BF | No |
| | 65 | 150 | 3500 | 4"-1591BF | No |
| | 72 | 166 | 3500 | 4"-1591BF | No |
| | 82 | 189 | 3500 | 4"-1592F | No |
| | 85 | 196 | 3500 | 4"-1592F | No |
| | 90 | 208 | 3500 | 4"-1592F | No |
| | 95 | 219 | 3500 | 4"-1592F | No |
| | 96 | 222 | 3500 | 4"-1593BF | No |
| | 100 | 231 | 3500 | 4"-1592F | No |
| | | | 3500 | 4"-1593BF | No |
| | 105 | 243 | 3500 | 4"-1592F | No |
| | | | 3500 | 4"-1593BF | No |
| | 110 | 254 | 3500 | 4"-1592F | No |
| | | | 3500 | 4"-1593BF | No |
| 115 | 266 | 3500 | 4"-1592F | No | |
| | | 3500 | 4"-1593BF | No | |
| 120 | 277 | 3500 | 4"-1592F | No | |
| | | 3500 | 4"-1593BF | No | |
| 125 | 289 | 3500 | 4"-1592F | No | |
| | | 3500 | 4"-1593BF | No | |
| 130 | 300 | 3500 | 4"-1592F | No | |
| 131 | 303 | 3550 | 4"-1593BF | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.

Vertical Inline Fire Pump
60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 500 GPM | 40 | 92 | 3500 | 4"-1591CF | No |
| | 45 | 104 | 3500 | 4"-1591CF | No |
| | 50 | 116 | 3500 | 4"-1591CF | No |
| | 54 | 125 | 3500 | 4"-1591CF | No |
| | 55 | 127 | 3500 | 4"-1591BF | No |
| | 60 | 139 | 3500 | 4"-1591BF | No |
| | 65 | 150 | 3500 | 4"-1591BF | No |
| | 71 | 164 | 3500 | 4"-1591BF | No |
| | 72 | 166 | 3550 | 4"-1593CF | No |
| | 75 | 173 | 3550 | 4"-1593CF | No |
| | 80 | 185 | 3550 | 4"-1593CF | No |
| | 85 | 196 | 3550 | 4"-1593CF | No |
| | 90 | 208 | 3550 | 4"-1593CF | No |
| | 92 | 213 | 3550 | 4"-1593CF | No |
| | 93 | 215 | 3500 | 4"-1593BF | No |
| | 95 | 219 | 3500 | 4"-1593BF | No |
| | 100 | 231 | 3500 | 4"-1593BF | No |
| | 105 | 243 | 3500 | 4"-1593BF | No |
| | 110 | 254 | 3500 | 4"-1593BF | No |
| | 115 | 266 | 3500 | 4"-1593BF | No |
| 120 | 277 | 3500 | 4"-1593BF | No | |
| 125 | 289 | 3500 | 4"-1593BF | No | |
| 130 | 300 | 3500 | 4"-1593BF | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.

Vertical Inline Fire Pump
 60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 750 GPM | 54 | 125 | 1770 | 4"-1593F | No |
| | 60 | 139 | 1770 | 4"-1593F | No |
| | 65 | 150 | 1770 | 4"-1593F | No |
| | 70 | 162 | 1770 | 4"-1593F | No |
| | 75 | 173 | 1770 | 4"-1593F | No |
| | 80 | 185 | 1770 | 4"-1593F | No |
| | 84 | 194 | 1770 | 4"-1593F | No |
| | 86 | 199 | 3550 | 4"-1594BF | No |
| | 90 | 208 | 3550 | 4"-1594BF | No |
| | 95 | 219 | 3550 | 4"-1594BF | No |
| | 100 | 231 | 3550 | 4"-1594BF | No |
| | 105 | 243 | 3550 | 4"-1594BF | No |
| | 110 | 254 | 3550 | 4"-1594BF | No |
| | 115 | 266 | 3550 | 4"-1594BF | No |
| | 120 | 277 | 3550 | 4"-1594BF | No |
| | 125 | 289 | 3550 | 4"-1594BF | No |
| | 130 | 300 | 3550 | 4"-1594BF | No |
| | 135 | 312 | 3550 | 4"-1594BF | No |
| 140 | 323 | 3550 | 4"-1594BF | No | |
| 143 | 330 | 3550 | 4"-1594BF | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.

Vertical Inline Fire Pump
60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 1000 GPM | 56 | 129 | 1775 | 8"-1593F | No |
| | 60 | 139 | 1775 | 8"-1593F | No |
| | 65 | 150 | 1775 | 8"-1593F | No |
| | 70 | 162 | 1775 | 8"-1593F | No |
| | 75 | 173 | 1775 | 8"-1593F | No |
| | 80 | 185 | 1775 | 8"-1593F | No |
| | 84 | 194 | 1770 | 8"-1595F | No |
| | 85 | 196 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595F | No |
| | 90 | 208 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595F | No |
| | 95 | 219 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595F | No |
| | 100 | 231 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595F | No |
| | 102 | 236 | 1775 | 8"-1593F | No |
| | 105 | 243 | 1770 | 8"-1595F | No |
| | 110 | 254 | 1770 | 8"-1595F | No |
| 115 | 266 | 1770 | 8"-1595F | No | |
| 120 | 277 | 1770 | 8"-1595F | No | |
| 125 | 289 | 1770 | 8"-1595F | No | |
| 127 | 293 | 1770 | 8"-1595F | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.

Vertical Inline Fire Pump
 60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 1250 GPM | 52 | 120 | 1775 | 8"-1593F | No |
| | 55 | 127 | 1775 | 8"-1593F | No |
| | 60 | 139 | 1775 | 8"-1593F | No |
| | 65 | 150 | 1775 | 8"-1593F | No |
| | 70 | 162 | 1775 | 8"-1593F | No |
| | 74 | 171 | 1770 | 8"-1595AF | No |
| | 75 | 173 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595AF | No |
| | 80 | 185 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595F | No |
| | | | 1770 | 8"-1595AF | No |
| | 85 | 196 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595F | No |
| | | | 1770 | 8"-1595AF | No |
| | 90 | 208 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595F | No |
| | | | 1770 | 8"-1595AF | No |
| | 95 | 219 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595F | No |
| | | | 1770 | 8"-1595AF | No |
| | 100 | 231 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595F | No |
| | | | 1770 | 8"-1595AF | No |
| | 105 | 243 | 1770 | 8"-1595F | No |
| 1770 | | | 8"-1595AF | No | |
| 110 | 254 | 1770 | 8"-1595F | No | |
| | | 1770 | 8"-1595AF | No | |
| 115 | 266 | 1770 | 8"-1595F | No | |
| | | 1770 | 8"-1595AF | No | |
| 120 | 277 | 1770 | 8"-1595F | No | |
| | | 1770 | 8"-1595AF | No | |
| 122 | 282 | 1770 | 8"-1595F | No | |
| 125 | 289 | 1770 | 8"-1595AF | No | |
| 128 | 296 | 1770 | 8"-1595AF | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.

Vertical Inline Fire Pump
60 Hz Electric Motor Driven

| Electric Driven | | | | | |
|-----------------|----------|-------|-------------|---------------------|-------------------------|
| Flow | Pressure | | Speed (rpm) | Pump Size and Model | Single Phase Applicable |
| | (psi) | (TDH) | | | |
| 1500 GPM | 48 | 111 | 1775 | 8"-1593F | No |
| | 50 | 116 | 1775 | 8"-1593F | No |
| | 55 | 127 | 1775 | 8"-1593F | No |
| | 60 | 139 | 1775 | 8"-1593F | No |
| | 65 | 150 | 1775 | 8"-1593F | No |
| | 70 | 162 | 1775 | 8"-1593F | No |
| | 72 | 166 | 1770 | 8"-1595AF | No |
| | 75 | 173 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595AF | No |
| | 80 | 185 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595AF | No |
| | 85 | 196 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595AF | No |
| | 90 | 208 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595AF | No |
| | 95 | 219 | 1775 | 8"-1593F | No |
| | | | 1770 | 8"-1595AF | No |
| | 99 | 229 | 1775 | 8"-1593F | No |
| | 100 | 231 | 1770 | 8"-1595AF | No |
| | 105 | 243 | 1770 | 8"-1595AF | No |
| 110 | 254 | 1770 | 8"-1595AF | No | |
| 115 | 266 | 1770 | 8"-1595AF | No | |
| 120 | 277 | 1770 | 8"-1595AF | No | |
| 125 | 289 | 1770 | 8"-1595AF | No | |

For further details on pump performance, please contact your local Fairbanks Nijhuis fire pump distributor.